



**Notes:**

**Product:** MSPERF500HEX  
**Construction:** Perforated metal  
**Materials:** mild steel (unfinished), powder coating available  
**Specification:** 0.500" hexagon x .563 stagger x 16 ga  
**Hole detail:** 0.500" (12.70 mm) Hexagon  
**Stagger:** .563" (14.30 mm)  
**Thickness:** 16 ga (.055"-0.064", 1.4 mm - 1.63 mm)  
**% open area:** 79  
**Weight:** .50 lbs/sf (.23 kgs/sf)  
**Maximum dimension:** Wmax 48" (1219 mm) x Lmax 96" (2438m)

Tolerances depend on material and source. Mill test report available on request.

<b>Part No.</b> MSPERF500HEX	
<b>Material</b> mild steel (unfinished), powder coating available	
Drawn <b>BR</b>	Date 01-Oct-2024
Approved <b>MW</b>	Date 01-Oct-2024

**ferrier**

WIRE AND DESIGN METALS

170 Mulock Avenue, Toronto, Ontario, M6N 3C8  
 Toll-free 888.769.5280 Toronto 416.769.5280  
[www.ferrierwire.com](http://www.ferrierwire.com) info@ferrierwire.com

DWG No. <b>MSPERF500HEX</b>		Rev
Sheet Scale: NTS	Sheet	1 OF 1