

## Notes:

\*\* Will vary and be slightly less due to hot dip galvanized finish. This specification sheet is for proposal purposes only. Actual product will vary due to the light nature of this product. There will be variations to the spacing across and along the rolls and the squares will vary in size and shape. Samples are available on request.

Product: HC2219

Construction: Hot dip galvanized after welding Materials: Steel hot dip galvanized after welding (GAW)

Specification: HC 1/2 x 1/2 x 19 ga

Mesh count:  $1/2" \times 1/2"$  centre to centre (12.7 mm x 12.7 mm centre to centre)\*\*

Wire dia.: 19 ga (approx. .041", 1.04 mm)\*\*

Clear opening: .46" (11.68 mm)\*\*

% open area: 82\*\*

Weight: 28 lbs/csf (12.70 kgs/csf)\*\*

\*\* Will vary and be slightly less due to hot dip galvanized finish. This specification sheet is for proposal purposes only. Actual product will vary due to the light nature of this product. There will be variations to the spacing across and along the rolls and the squares will vary in size and shape. Samples are available on request.

## HC2219

Matorial

Steel hot dip galvanized after welding (GAW)

Tolerances depend on material and source.

Mill test report available on request.



170 Mulock Avenue, Toronto, Ontario, M6N 3C8 Toll-free 888.769.5280 Toronto 416.769.5280 www.ferrierwire.com info@ferrierwire.com

www.ferrierwire.com info@ferrierwire.com

Sheet Scale: NTS Sheet 1 OF 1